



## Hindustan Oil Exploration Company Limited

'Lakshmi Chambers', 192, St. Mary's Road, Alwarpet, Chennai - 600 018. INDIA.

☎: 91 (044) 66229000 • Fax: 91 (044) 66229011 / 66229012

E-mail: contact@hoec.com • Website: www.hoec.com CIN: L11100GJ1996PLC029880

**Ref:** HOEC/MoEF/PY-1/2024/04/07

**Dated:** 29<sup>th</sup> April 2024

To  
Joint Director  
Integrated Regional Office  
Ministry of Environment, Forest, and Climate Change  
1<sup>st</sup> Floor, Additional Office Block for GPOA  
Shastri Bhawan, Haddow's Road  
Nungambakkam – Chennai – 600006

**Kind Attn: Joint Director**

Dear Sir,

**Sub: Submission of compliance report for the period October 2023 to March 2024**  
**Ref: CRZ Clearance F. No 11 -103 / 2009 - IA- III dated 1<sup>st</sup> April 2010 for laying of subsea pipeline**

As per the CRZ Clearance referred above, we wish to inform that Subsea Pipeline from PY1 Offshore Sun Platform to the Onshore Gas Processing Plant had been commissioned in the year 2010 to carry the oil and gas to the onshore gas processing terminal located in Pillaiperumalnallur Tehsil Tharangambadi Taluk in the District Mayiladuthurai, Tamil Nadu. The CRZ Clearance approval was granted by the Expert Appraisal Committee of Ministry of Environment and Forest (MOEF).

Hereby we are submitting the Six -Monthly Compliance report with specific and general conditions complied during the period October 2023 to March 2024 for the subsea pipeline at locations wherever it falls under CRZ area.

**We are pleased to submit a Compliance report with detailed information about the status of compliance pursuant to CRZ Clearance referenced above.**

Thanking you,  
**For Hindustan Oil Exploration Company Limited.,**



**G. Janakiraman**  
**Head - HSE**

**Enclosures:**

1. Compliance Report to the CRZ Clearance issued by MoEF for the period of October 2023 to March 2024 – **Annexure 1**
2. Copy of Advertisement published in the newspaper – **Annexure 2(a) & 2 (b)**
3. Copy of CRZ Clearance Approval F. No 11 -103 / 2009 - IA- III dated 1st April 2010 – **Annexure 3**

## CRZ Clearance No. 11- 103 / 2009 – IA -III

### *Six Monthly Compliance Report for the period October 2023 to March 2024*

CRZ Clearance for laying of a pipeline from PY1 Offshore platform to the onshore gas processing plant at village Pillaiperumalnattur Tharangambadi in Mayiladuthurai District, Tamil Nadu by Hindustan Oil Exploration Company Ltd

<b>A. SPECIFIC CONDITIONS:</b>		
<b>Sl. No</b>	<b>Construction Phase</b>	<b>Compliance Status</b>
(i)	All recommendation of EMP, DMP shall be strictly complied with.	HOEC has a region-specific Disaster Management Plan (DMP) and a site-specific Emergency Response Plan (ERP) - Complied
(ii)	All the commitments/details submitted vide letter dated 18.12.2009 and presentation made on 23rd – 24th November 2009 shall be strictly complied with.	Complied, All the details were submitted to MoEF during the construction phase of the laying the 14” subsea pipeline.
(iii)	All the conditions stipulated by Tamil Nadu State Coastal Zone Management Authority vide letter No. 25461/ EC-3, dated 14.10.2009.	Complied
(iv)	The project shall be implemented in such a manner that there shall be no damage whatsoever to the mangroves/other sensitive coastal ecosystems	Complied. No existence of mangroves / coral reefs around 587 m where pipeline pass through CRZ area, mentioned in EIA study carried out during that time
(v)	A continuous and comprehensive post-project marine quality monitoring program shall be taken up. This shall include monitoring of water quality; sediment quality and biological characteristics and the report shall be submitted every 6 months to Ministry's Regional Office at Bangalore.	The marine water quality was monitored as per the stipulated conditions mentioned in the CRZ Clearance No. 11- 103 / 2009 – IA -III
(vi)	It shall be ensured that there is no displacement of people and the houses as a result of the project.	There were no displacement of people and house as the project is an offshore subsea laying project
(vii)	There shall be display boards at critical locations along the route of the pipeline giving emergency instructions. This will ensure prompt information regarding location of accident during any emergency. Emergency Information board shall contain emergency instructions in addition to contact details.	Complied.  Boards showing route of pipeline is displayed at critical locations
(viii)	There shall be no withdrawal of ground water in CRZ area, for the project.	Complied with as no withdrawal of ground water being done in CRZ area
(ix)	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Local Labor workers were hired from nearby locations and provisions for basic utilities like mobile toilets, drinking water and medical facilities was constructed as temporary structures.  Complied. All temporary structures removed and site restored.
(x)	A First Aid Room will be provided in the project both during construction and operation of the project.	Complied. PY1 onshore shore facility has a dedicated first aid room.



(xi)	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality.	There is no threat to ground water anticipated as the pipeline was laid in subsea and seashore near our terminal
(xii)	Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the Tamil Nadu Pollution Control Board.	Complied. Authorized TNPCB recyclers are assigned to collect and dispose the hazardous wastes generated
(xiii)	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	Complied at the time of construction phase
(xiv)	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.	Vessels with in-built DG sets and diesel tanks are engaged during commissioning of pipelines.
(xv)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	Complied at the time of construction phase
(xvi)	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ TNSPCB.	Complied at the time of construction phase
(xvii)	Storm water control and its re-use as per CGWB and BIS standards for various applications.	The onshore gas processing plant is provided with storm water storage and re use facility.
(xviii)	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	Complied at the time of construction phase
	<b>Operation Phase</b>	
(xx)	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Ambient noise levels monitored by accredited NABL laboratories on monthly basis
(xxi)	The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.	Complied. Area demarcated exclusively for planting local species of trees within the boundaries of PY1 Onshore Gas processing facility
(xxii)	The ground water level and its quality should be monitored regularly.	Noted and agreed for compliance
(xxiii)	The mangroves, if any, on the site should not be disturbed in any way.	Complied. No existence of mangroves / coral reefs in our project area
(xxiv)	The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.	Complied.
(xxv)	A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions shall be set up under the charge of a Senior	Complied. The Environment Management cell constitutes IM, Head -HSE, Site HSE officer, key personnel's from multi-disciplinary team.



	Executive who will report directly to the Chief Executive of the Company.	
(xxvi)	The funds earmarked for environment protection measures shall be maintained in a separate account and there shall be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards shall be reported to this Ministry's Regional Office at Bangalore.	The funds are allocated on a yearly basis to the environment protection measures at site.
(xxvii)	In case of deviation or alteration in the project including the implementing agency, a fresh reference shall be made to this Ministry for modification in the clearance conditions or imposition of new one for ensuring environmental protection. The project proponents shall be responsible for implementing the suggested safeguard measures.	Noted for compliance
(xxviii)	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted and agreed
<b>B.</b>	<b>GENERAL CONDITIONS:</b>	
<b>Sl. No</b>		<b>Compliance Status</b>
(i)	Adequate provision for infrastructure facilities including water supply, fuel and sanitation must be ensured for construction workers during the construction phase of the project to avoid any damage to the environment.	Complied. Ensured at the time of construction phase
(ii)	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Complied at the time during laying of subsea pipelines
(iii)	Borrow sites for each quarry sites for road construction material and dump sites must be identified keeping in view the following:	Complied at the time during laying of subsea pipelines
(a)	No excavation or dumping on private property is carried out without written consent of the owner.	Complied at the time during laying of subsea pipelines
(b)	No excavation or dumping shall be allowed on wetlands, forest areas or other ecologically valuable or sensitive locations.	Complied
(c)	Excavation work shall be done in close consultation with the Soil Conservation and Watershed Development Agencies working in the area.	Complied
(d)	Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such materials must be secured so that they shall not leach into the ground water.	Complied during commissioning phase of pipeline
(iv)	The construction material shall be obtained only from approved quarries. In case new quarries are to be opened, specific approvals from the competent authority shall be obtained in this regard.	Not applicable as requirement of construction materials not envisaged in our project
(v)	Adequate precautions shall be taken during transportation of the construction material so that it does not affect the	Complied. Ensured at the time of construction phase



	environment adversely.	
(vi)	Borrow pits and other scars created during the laying of cable shall be properly levelled and treated.	Complied. The site where pipeline is buried is levelled and restored
(vii)	Adequate financial provision must be made in the project to implement the aforesaid safeguards.	Complied. Ensured adequate funds are allocated to successfully complete the project in a safe manner
(viii)	The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Complied. The Environmental Management cell constitutes IM, Head -HSE, Site HSE officer, key personnel's from multi-disciplinary team. The HSE Department will be responsible for effective monitoring of stipulated environmental safeguards
(ix)	Full support shall be extended to the officers of this Ministry/ Regional Office at Bangalore by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Noted and agreed for compliance
(x)	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary, in the interest of environment and the same shall be complied with.	Noted for compliance
(xi)	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Noted & agreed for compliance
(xii)	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	Noted & agreed for compliance
(xiii)	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Complied during the project.
(xiv)	Tamil Nadu State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.	Complied
7.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006, including the amendments and rules made thereafter.	Noted and being complied by obtaining the necessary consent under Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006 etc.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	All applicable statutory clearances are obtained and complied.
9.	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Tamil Nadu	Complied. Advertised in daily thanthi in the local regional language new papers (Puducherry edition) dated April 19, 2010 is enclosed as Annexure 2a & 2b.



	State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the regional office of this Ministry at Bangalore.	
10.	Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.	Noted and agreed.
11.	Any appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.	No appeal against this Environmental Clearance.
12.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Complied. Copies of the CRZ clearance of the PY1 Block development project for production at onshore processing plant is submitted to the local panchayat office.
13.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF at Bangalore, the respective Zonal Office of CPCB and the MSPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted for compliance
14.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Noted for compliance
15.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned Tamil Nadu State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF at Bangalore by e-mail.	Noted for compliance



both sectors and the preferred combination of relevance and excellence" said R.Chidambaram, Principal Scientific Advisor to Government of India.

Delivering the valedictory address during the silver jubilee celebrations of Shanmugha Arts Science Technology and Research Academy (SASTRA) University here recently, Dr. Chidambaram explained the need for basic research and pre-competitive applied research to address generic problems in the society/ industry and the Government of India is prepared to partner in such initiatives.

He congratulated SASTRA on the achievements it has made in teaching, research and social development. He formally launched six new schemes introduced by SASTRA. The schemes are SASTRA-industry chair professorship, SASTRA-faculty research and development scheme, SASTRA-Desh-Videsh scheme, SASTRA-teaching assistance scheme, SASTRA-silver jubilee local students scholarship scheme and SASTRA-silver jubilee pension scheme. R.Sethuraman, Vice-Chancellor welcomed the gathering.

RM.Chandrasekaran, Registrar, Anna University-Tiruchi, inaugurates, A.Srinivasan, college chairman, presides, 9 a.m. PUDUKOTTAI  
**Mount Zion College of Engineering and Technology:** Department of Electronics and Communication Engineering, Workshop on Embedded Systems, P.Vijaya Babu and Abdul Sathar of Vee Eee Technologies, Madurai, resource persons, 9 a.m.

## ENGAGEMENTS

### • THANJAVUR

**Big Temple:** Chithirai Peruvizha, Sri Thyagarajar Ethasthanam pravesam, 7 a.m. Sri Chandrasekar Muthupallakku, 7 p.m., dance programme by Thanjavur Ponnaiyah Natya Kalloori Sasikala Nadarajan and party, 7 p.m.  
**Sri Dharmasamvardhini Ambal samedha Sri Panchanatheeswaraswamy Temple:** Chithirai Peruvizha, Palanquin, Temple premises, Thiruvaiyaru, 7 a.m. Adhishesha vahanam 7 p.m. Discourse by Shanmugha Selva Ganapathy on Irandam Thirumurai, Cultural programmes by Thiruvaiyaru Government Music College students, 6.30 p.m.  
**Tamil Nadu Handicrafts Corporation Ltd:** Summer sales exhibition, Poompuhar showroom, Gandhiji road, 10 a.m.

### • TIRUVARUR



**Sri Kanchi Kamakoti Peeta Carnataka Sangeetha Seva Trust:** Sri Shyama Sastrigal Sri Thyagabrahma Jayanthi and Carnatic music festival, Nathasangamam, Balamurugan-Nadaswaram, V.Parthasarathy-violin, Kothandaraman-mrithangam, Ravi-Gadam and Kamaraj Morsing, Shyama Sastrigal Illam, Mettu Theru, Tiruvarur 5.30 p.m., vocal by Vijayalakshmi Subramanian 6.30 p.m. Keyboard by Satyanarayana 8.15 p.m.  
**Organising Committee:** Sri Jayendra Saraswathi of Kanchi Mutt visits Vishnupuram village, Speech at George higher secondary school, 10 a.m.

### • PERAMBALUR

**Dhanalakshmi Srinivasan Engineering College:** Department of Electrical and Electronics Engineering, Staff development programme on Design and Erection of Substations Using Modern Simulation Tools,

RM.Chandrasekaran, Registrar, Anna University-Tiruchi, inaugurates, A.Srinivasan, college chairman, presides, 9 a.m. PUDUKOTTAI  
**Mount Zion College of Engineering and Technology:** Department of Electronics and Communication Engineering, Workshop on Embedded Systems, P.Vijaya Babu and Abdul Sathar of Vee Eee Technologies, Madurai, resource persons, 9 a.m.

### TIRUCHIRAPALLI

	April	Rise	Set
	Mon (19)	05 05	18 29
	Tue (20)	06 04	18 29
	Wed (21)	06 04	18 29
	Mon (19)	09 51	23 01
	Tue (20)	10 50	23 56
	Wed (21)	11 50	00 00

**ADMISSION GUIDANCE-2010 PILOT TRAINING**  
 Approved by DGCA, Govt. of India.

**CPL/SPL/PPL**  
 Eligibility: 10th or 12th Pass (PCM)

**AIRCRAFT MAINT. ENGG.**  
 Approved by DGCA, Govt. of India.

**BE**  
 AERONAUTICAL ENGINEERING  
 MECHANICAL ENGINEERING  
 CIVIL ENGINEERING  
 ELECTRONICS & COMM. ENGG.  
 COMPUTER SCIENCE ENGG.

**DIPLOMA**  
 AERONAUTICAL ENGINEERING  
 MECHANICAL ENGINEERING  
 CIVIL ENGINEERING  
 ELECTRONICS & COMM. ENGG.  
 COMPUTER SCIENCE ENGG.

**BCA/BBM**  
 3 yrs. regular course recognized by Bangalore University

**BBA (Aviation)/MBA (Aviation)/ BSc ANIMATION**  
 Course Offered by Karnataka State Open University, Mysore

**B-Tech AEROSPACE ENGG.**  
 Course Offered by IITDU

For More Details Contact: **Mr. EDWIN**  
**9965511482**  
**8098226410**


## H O E C HINDUSTAN OIL EXPLORATION COMPANY LIMITED

Lakshmi Chambers, 192, St. Mary's Road, Alwarpet, Chennai - 600 018

### NOTICE OF ENVIRONMENTAL CLEARANCE BY MOEF, GOI, FOR PY1 DEVELOPMENT PROJECT IN PY1 BLOCK

The Ministry of Environment and Forests had accorded CRZ Clearance for a pipeline from PY1 offshore platform Located at PY1 Block to Onshore Gas Processing Plant at Village Pillaiiperumalnallur, Tharangambadi Taluk, in Nagapattinam District, Tamil Nadu vide no.:11-103/2009-IA-III dated April 1, 2010. The copy of the said clearance letter is available at Company's Offices, and at the office of the Tamil Nadu Pollution Control Board, and may also be seen at the website of the Ministry of Environment and Forests at <http://envfor.nic.in>

## Bio Sleep & Health Care



Authorised Sales & Service

## SAMSUNG Play Pearl Air

279, Bharathiar Road, (Near KARAIKAL - 609 Cell : 9788899749, Ph

Carrier  
 Turn to the Expert making you and environment safe

Enjoy the Warmth in Summer



Authorised Sales and Service

## NAACHI STORE

95, Thirunallar KARAIKAL Ph:222282, 22

தினத்தந்தி

குன்றத்தார் அருகே

## திருமண விழாவுக்கு சென்ற தந்தை-மகன் உள்பட 4 பேர் பலி மோட்டார் சைக்கிள்கள் மீது லாரி மோதி பரிதாபம்

ஸ்ரீபெரும்புதூர், ஏப்.19- குன்றத்தார் அருகே திருமண விழாவிற்கு சென்று விட்டு மோட்டார் சைக்கிள்களில் திரும்பிக் கொண்டிருந்தவர்கள் மீது மினி லாரி மோதியது. இதில் தந்தை-மகன் உள்பட 4 பேர் பலியானார்கள். ஒருவர் காயத்துடன் தப்பினார்.

திருமண விழாவுக்கு

சென்னை அடுத்த குன்றத்தார் அருகே உள்ள நந்தம் பாக்கம் பெரியார்நகர் பகுதியை சேர்ந்த ஒருவரின் இல்லத்திற்கும் சென்ற குன்றத்தாரில் நடைபெற்றது. இதில் கலந்துகொள்ள பெரியார்நகர் பகுதியை சேர்ந்த சுப்பிரமணியன் (வயது 40), ராமச்சந்திரன் (50), அவரது மகன் சுரேஷ் (20) மற்றும் ஆனந்தன் (23), ராஜேஷ் (25) ஆகிய 5 பேரும் சென்றனர்.

அதன் பிறகு ராமச்சந்திரன், அவரது மகன் சுரேஷ் ஆகியோர் ஒரு மோட்டார் சைக்கிளில், மற்ற 3 பேரும் மற்றொரு மோட்டார் சைக்கிளில் ஸ்ரீபெரும்புதூர் நோக்கி வந்து கொண்டிருந்தார்கள். அந்த 2 மோட்டார் சைக்கிள்களும் ஒன்றன் பின் ஒன்றாக சென்றன.

லாரி மோதி

இரவு சுமார் 9 மணி அளவில் குன்றத்தார் அடுத்த உள்ள சுருகாடு அருகே ஒரு திருப்பத்தில் வரும்போது மோட்டார் சைக்கிள்களின் பின்னால் வந்த மினி லாரி முந்திச் செல்ல முயன்றது. அப்போது எதிரே பஸ் வந்ததால் லாரியின் டிரை

வர் திடீர் பிரேக் போட்டதாக தெரிகிறது. இதில் லாரி நிலை தடுமாறி ஓடி மோட்டார் சைக்கிள்கள் மீது மோதியதோடு பள்ளத்தில் கவிழ்ந்தது. 2 மோட்டார் சைக்கிள்களும், லாரிக்கு அடியில் சிக்கிக் கொண்டன.

லாரி கவிழ்ந்தவுடன் டிரைவர் மற்றும் கிளினர் இருவரும் தப்பி ஓடி விட்டார்கள்.

4 பேர் சவு

இந்த விபத்தில் மோட்டார் சைக்கிளில் பயணம் செய்த சுப்பிரமணியன், ராமச்சந்திரன் ஆகிய இருவரும் லாரியின் அடியில் சிக்கி சம்பவ இடத்திலேயே பரிதாபமாக இறந்தனர். தகவல் அறிந்ததும் குன்றத்தார் போலீசார் விரைந்து வந்து லாரியின் இடிபாடுகளில் சிக்கி உயிருக்கு போராடிக்கொண்டிருந்த மற்ற 3 பேரையும் மீட்டு குரோம் பேட்டை அரசு மருத்துவமனைக்கு கொண்டு சென்றனர்.

ஆனால் வழியிலேயே ஆனந்தன் பரிதாபமாக உயிரிழந்தார். மருத்துவமனையில் அனுமதிக்கப்பட்டு சிகிச்சை பலனின்றி சுரேஷ் செத்தார்.

படுகாயம் அடைந்த ராஜேஷ் தனியார் மருத்துவமனையில் சிகிச்சை பெற்று வருகிறார். விபத்து குறித்து பூந்தமல்லி போக்குவரத்து புலனாய்வு போலீஸ் இன்ஸ்பெக்டர் ஆனந்தராஜ் வழக்கு பதிவு செய்து விசாரணை நடத்தி வருகிறார். தப்பி ஓடிய லாரி டிரைவர் மற்றும் கிளினரை போலீசார் தேடி வருகின்றனர்.

கொடைக்கானலில்

## இலவச கல் டி.வி. வழங்கும் விழாவில் மேடை சரிந்து விழுந்து வியாபாரி பலி



இந்தோனேசிய பெண்ணுக்கும் தமிழக வாலிபருக்கும் தர்மபுரியில் திருமணம் நடந்த போது எடுத்த படம்.

2 வருடங்களாக போராடி

## இந்தோனேசிய பெண்ணை கரம் பிடித்த தமிழக வாலிபர் இந்து முறைப்படி தர்மபுரியில் திருமணம் நடந்தது

தர்மபுரி, ஏப்.19-

2 வருடங்களாக போராடி இந்தோனேசிய நாட்டை சேர்ந்த பெண்ணை கரம் பிடித்த தமிழக வாலிபருக்கு தர்மபுரியில் திருமணம் நடைபெற்றது.

2 வருடங்களாக போராடி...

கிருஷ்ணகிரி மாவட்டம் போச்சம்பளியை அடுத்த பாருரை சேர்ந்தவர் ஆறுமுகம். இவரது மனைவி அல்மேலு அம்மாள். இவர்களது மகன் செந்தில்நாதன். எம்.பி.ஏ. பட்டதாரியான இவர் மாலத்தீவில் ஒரு தனியார் நிறுவனத்தில் வேலை செய்து வந்தார். அந்த நிறுவனத்தில் இந்தோனேசிய அடுத்த பாலி கரங்கேசம் பகுதியை சேர்ந்த இம்மேகலா-நிகேட்லியாங் ஆகியோரது மகன் நிகேட்லியா ரிணி என்கிற ஹரிணி என்ற ஓட்டல் படித்த பெண்ணை வேலை

வில் காதலாக மாறியது. கடந்த 2 வருடத்துக்கும் மேலாக இருவரும் காதலித்து வந்தனர். இந்த காதல் குறித்து செந்தில்நாதன் தனது தாயார் அல்மேலு அம்மாளை கூறி அந்த பெண்ணை திருமணம் செய்து வைக்குமாறு கேட்டார். அதற்கு அவர் கடும் எதிர்ப்பு தெரிவித்தார்.

சமரசம்

கடந்த சில மாதங்களாக இந்த காதல் ஜோடியை சேர்த்து வைக்க செந்தில்நாதனின் உறவினர்கள் 2 தரப்பிலும் பேச்சு வார்த்தை நடத்தினர். பின்னர் சமரசம் ஏற்பட்டு 2 தரப்பினரின் முறைப்படி திருமணம் செய்து வைக்க முடிவு செய்யப்பட்டது. அதன் படி செந்தில்நாதனின் உறவினர்கள் இந்தோனேசியா விற்கு சென்று அங்குள்ள முறைப்படி கடந்த 9-ந்தேதி 2 பேருக்கும் திருமணம் நடைபெற்றது.

காலில் செந்தில்நாதன் மெட்டி அணிவித்தார். இந்த திருமண விழாவில் ஏராளமானோர் கலந்து கொண்டு மண மக்களை வாழ்த்தினர். இதுகுறித்து மணமகன் செந்தில்நாதன் கூறியதில், கடந்த 2 ஆண்டுகளுக்கு மேலாக காதலித்து வந்த நிகேட்லியா ரிணி என்கிற ஹரிணியுடன் தாயின் சம்மதத்துடன் திருமணம் நடைபெற்றது மகிழ்ச்சியாக உள்ளது. நாங்கள் தற்போது வெவ்வேறு நாடுகளில் வேலை பார்த்து வருகிறோம். விரைவில் ஓய்வூதியம் உள்ள எங்களது நிறுவனத்தில் சேர்ந்து பணியாற்ற உள்ளோம் என்று கூறினார்.

பாகிஸ்தானில்

தற்கொலை-பண்ட

தாக்குதலில் 7 பேர் பலி

## தாமிரபரணி ஆற்றில் மூழ்கி இறந்த 3 பேர் குடும்பத்திற்கு ரூ.3 லட்சம் உதவி


கருணாநிதி உத்தரவு

சென்னை, ஏப்.19- தாமிரபரணி ஆற்றில் மூழ்கி இறந்த 3 பேர் குடும்பத்திற்கு தலா ரூ.1 லட்சம் வீதம் ரூ.3 லட்சம் உதவி வழங்க முதல்-அமைச்சர் கருணாநிதி உத்தரவிட்டுள்ளார்.

ஆற்றில் மூழ்கி இறந்தனர்

திருநெல்வேலியை சேர்ந்தவர் நயினார் என்பவரது மகன் நடராஜன் (வயது 22). தட்சிணாமூர்த்தியின் மகன் முத்துக்குமார் (20), கருப்பையா (18).

இவர்கள் 3 பேரும் மேல் அம்பாசமுத்திரம் கிராமத்தில் தாமிரபரணி ஆறு ரெயில்வே



கருணாநிதி

பாலத்தின் கீழ் ஆற்றில் குளிக்கச் சென்ற போது தண்ணீரில் மூழ்கி இறந்தனர். இந்த சம்பவம் கடந்த 13-ந்தேதி

நடந்தது.

தலா ரூ.1 லட்சம் உதவி சோகமான இந்த தகவல் சபாநாயகர் இரா.ஆவுடையப்பன், துணை முதல்-அமைச்சர் மு.க.ஸ்டாலின் ஆகியோர் மூலம் முதல்-அமைச்சர் கருணாநிதியின் கவனத்திற்கு கொண்டு செல்லப்பட்டது.

அதனால் வேதனையும், வருத்தமும் அடைந்த கருணாநிதி உயிரிழந்தவர்களின் குடும்பத்தாருக்கு அவரது ஆழ்ந்த இரங்கலை தெரிவித்தார். இறந்த 3 பேர்களின் குடும்பங்களுக்கும் தலா ரூ.1 லட்சம் வீதம் மொத்தம் ரூ.3 லட்சம் வழங்க உத்தரவிட்டார்.

இந்த பணம் முதல்-அமைச்சரின் பொது நிவாரண நிதியில் இருந்து வழங்கப்படுகிறது.

தாம்பரம் அருகே, மகன்கள் கண் முன்னால் சம்பவம்:

## தலையில் அம்மிக்கல்லை போட்டு கணவரை கொன்ற பெண் கைது

தாம்பரம், ஏப்.19-

தாம்பரம் அருகே மகன்கள் கண் முன்னால் கணவரின் தலையில் அம்மிக்கல்லை போட்டு கொலை செய்த மனைவியை போலீசார் கைது செய்தனர்.

அடிக்கடி தகராறு

தாம்பரம் அருகே உள்ள சேலையூர் அகரம் தென் அண்ணா மெயின் ரோட்டை சேர்ந்தவர் உதயசங்கர் (வயது 32). பெயிண்டராக வேலைபார்த்து வந்தார். ரியல் எஸ்டேட் தொழிலும் செய்து வந்தார். இவரது மனைவி சிவசங்கரி (வயது 26). திருமணமாகி 8 வருடம் ஆகிறது. இவர்களுக்கு பரத் (வயது 8), ராஜேஷ் (வயது 3) என்ற மகன்கள் உள்ளனர்.

உதயசங்கர் அடிக்கடி மனைவரின் கண் முன்பு படுகாயமடைந்தனர்.

பாகிஸ்தானில் அல் கொய்தா, தலிபான் தீவிரவாதிகளை ராணுவம் தொடர்ந்து வேட்டையாடி வருவதால்

வியுடன் தகராறு செய்து வந்ததாக கூறப்படுகிறது. இதனால் கணவரை பிரிந்து தாய் வீட்டிற்கு சென்ற சிவசங்கரியை 1 மாதத்திற்கு முன்பு உறவினர்கள் சமாதானப்படுத்தி சேர்த்து வைத்தனர்.

கொலை

இந்த நிலையில் நேற்று காலை மீண்டும் இவர்களுக்குள் தகராறு ஏற்பட்டது. அப்போது உதயசங்கரின் அண்ணன் வேணுகோபால் இருவரையும் சமாதானப்படுத்தி விட்டு வந்தார். அவர் சென்ற பின்பு மதியம் மீண்டும் உதயசங்கர் மனைவி சிவசங்கரியிடம் தகராறு செய்ததாகவும், அடித்து உதைத்ததாகவும் தெரிகிறது. இதனால் 'ஆத்திரம் அடைந்த சிவசங்கரி அருகில் கிடந்த அம்மிக்கல்லை எடுத்து உதயசங்கரின் தலையில் போட்டதாக கூறப்படுகிறது.

படுகாயம் அடைந்து கீழே விழுந்த உதயசங்கர் மீது ஆத்திரம் தீர சிவசங்கரி மீண்டும் அம்மிக்கல்லை

கேட்டு ஓடி வந்த அக்கம்பக்கத்தினரை என் கணவன் செத்து போகட்டும், யாராவது காப்பாற்ற முயன்றால் அவர்களை யும் தாக்குவேன்' என சிவசங்கரி மிரட்டியதாகவும் கூறப்படுகிறது.

இதுபற்றி பொதுமக்கள் சேலையூர் போலீஸ் நிலையத்துக்கு தகவல் கொடுத்தனர். சேலையூர் போலீஸ் இன்ஸ்பெக்டர் சங்கரநாராயணன், சப்-இன்ஸ்பெக்டர்கள் ராஜசேகர், கணபதி மற்றும் போலீசார் விரைந்து சென்று உதயசங்கர் பிணத்தை கைப்பற்றி பிரேத பரிசோதனைக்கு குரோம்பேட்டை மருத்துவமனைக்கு அனுப்பி வைத்தனர். இந்த சம்பவம் தொடர்பாக சிவசங்கரியை போலீசார் கைது செய்து விசாரணை நடத்தி வருகிறார்கள்.

சாரீய விமானம் சாரீய விமானம் AIRPORTS AUTHORITY OF INDIA  
Governor: N. Chandrababu Naidu, Chennai - 27  
தஞ்சாவூர்  
வேலைநிலை மையம்: "சென்னை-27" கார்ப்பரேட்  
உள்நாட்டு முன்படி, அண்ணா பன்னாட்டு  
முன்படி மற்றும் NIDT-ல் விசாரணை பக்க  
தகவல்களைக் கொடுக்கப்படுகிறது.





500000

**No. 11-103/2009-IA-III  
Government of India  
Ministry of Environment and Forests**

**Paryavaran Bhawan,  
CGO Complex, Lodhi Road,  
New Delhi - 110 003.**

**Dated: 1<sup>st</sup> April, 2010.**

**To  
M/s. Hindustan Oil Exploration Company Limited,  
'Lakshmi Chambers',  
192, St. Mary's road, Alwarpet,  
Chennai - 600 018.**

**Subject: CRZ Clearance for laying of a pipeline from Py-1 offshore platform to the onshore gas processing plant at village Piliaperumalnattur Tharangamballi in Nagapattinam District, Tamil Nadu by M/s. Hindustan Oil Exploration Company Ltd. - Reg.**

\*\*\*

This has reference to your application No. HoEC/ENV/CRZ/PY-F/2009-10/013, dated 15.10.2009 forwarded by the Principal Secretary, Environment and Forests (EC.3) Department, Govt. of Tamil Nadu vide letter No: 25461/EC.3/2007, dated 14.10.2008 and subsequent letters dated 25.11.2009 and 12.12.2009 seeking prior CRZ Clearance for the above project under the CRZ Notification, 1991. The proposal has been appraised as per prescribed procedure in the light of provisions under the Coastal Regulation Zone Notification, 1991 on the basis of the mandatory documents enclosed with the application viz., the EIA, EMP etc. by Expert Appraisal Committee constituted by the competent authority in its meetings held on 23<sup>rd</sup> - 24<sup>th</sup> November, 2009 and 27<sup>th</sup> - 29<sup>th</sup> January, 2010.

2. It is inter-alia, noted that the proposal is for laying of pipeline from their Py-1 offshore platform, block development project for the production at onshore processing plant at village Piliaperumalnattur Tharangamballi in district Nagapattinam. It is proposed to provide a pipeline of about 57 km from the offshore platform to the on shore plant. The total pipeline length is 587 meters pass through CRZ area. Pipeline wall thickness is 12.7 mm with 3 mm corrosion allowance. The pipeline will be buried 2 to 2.5 m below the Ground level. There are no mangroves, corals reefs or ecologically sensitivity environment. The onshore processing plant is proposed to be situated outside CRZ area. The HTL/LTL demarcation was carried out for the site by Anna University. The total area envisaged for setting up the project is 1.175 ha. Further, it is also proposed to lay a pipeline for the discharge of treated effluent into the sea. The pipeline will be buried along with the product pipeline in the ground. Since the well fluid will consist of gas,



condensate / oil and water, it is proposed to process the product and to remove oil and the resultant water to be treated before discharged into sea. The proposed quantity of discharge of treated effluent is 17 m<sup>3</sup>/hr. The treated effluent is proposed to be discharged through a marine outfall line of 4' diameter and through a diffuser to be located 750 mts. in the sea.

3. As per para 3(2)(ii) of CRZ Notification, 1991, the activity of laying of pipeline is a permissible activity. Tamil Nadu Coastal Zone Management Authority has recommended the proposal vide letter No. 25461/EC-3/2007, dated 14.10.2009.

4. The Expert Appraisal Committee, after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations, have recommended for the grant of CRZ Clearance for the project mentioned above. Accordingly, the Ministry hereby accord necessary CRZ Clearance for the above project as per the provisions of CRZ Notification, 1991 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:

**5. Specific Conditions:**

**I. Construction phase:**

- (i) All recommendation of EMP, DMP shall be strictly complied with.
- (ii) All the commitments/details submitted vide letter dated 18.12.2009 and presentation made on 23<sup>rd</sup> - 24<sup>th</sup> November, 2009 shall be strictly complied with.
- (iii) All the conditions stipulated by Tamil Nadu State Coastal Zone Management Authority vide letter No. 25461/EC-3, dated 14.10.2009.
- (iv) The project shall be implemented in such a manner that there shall be no damage whatsoever to the mangroves/other sensitive coastal ecosystems.
- (v) A continuous and comprehensive post-project marine quality monitoring programme shall be taken up. This shall include monitoring of water quality, sediment quality and biological characteristics and the report shall be submitted every 6 month to Ministry's Regional Office at Bangalore.
- (vi) It shall be ensured that there is no displacement of people and the houses as a result of the project.



- (vii) There shall be display boards at critical locations along the route of the pipeline giving emergency instructions. This will ensure prompt information regarding location of accident during any emergency. Emergency Information board shall contain emergency instructions in addition to contact details.
- (viii) There shall be no withdrawal of ground water in CRZ area, for the project.
- (ix) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (x) A First Aid Room will be provided in the project both during construction and operation of the project.
- (xi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality.
- (xii) Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the Tamil Nadu Pollution Control Board.
- (xiii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- (xiv) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- (xv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xvi) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ TNSPCB.



- (xvii) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xviii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.

## II. Operation Phase

- (i) Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (ii) The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
- (iii) The ground water level and its quality should be monitored regularly.
- (iv) The mangroves, if any, on the site should not be disturbed in any way.
- (v) The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
- (vi) A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions shall be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company.
- (vii) The funds earmarked for environment protection measures shall be maintained in a separate account and there shall be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards shall be reported to this Ministry's Regional Office at Bangalore.
- (viii) In case of deviation or alteration in the project including the implementing agency, a fresh reference shall be made to this Ministry for modification in the clearance conditions or imposition of new one for ensuring environmental protection. The project proponents shall be responsible for implementing the suggested safeguard measures.
- (ix) This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.



**6. General Conditions:**

- (i) Adequate provision for infrastructure facilities including water supply, fuel and sanitation must be ensured for construction workers during the construction phase of the project to avoid any damage to the environment.
- (ii) Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.
- (iii) Borrow sites for each quarry sites for road construction material and dump sites must be identified keeping in view the following:
  - (a) No excavation or dumping on private property is carried out without written consent of the owner.
  - (b) No excavation or dumping shall be allowed on wetlands, forest areas or other ecologically valuable or sensitive locations.
  - (c) Excavation work shall be done in close consultation with the Soil Conservation and Watershed Development Agencies working in the area, and
  - (d) Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such materials must be secured so that they shall not leach into the ground water.
- (iv) The construction material shall be obtained only from approved quarries. In case new quarries are to be opened, specific approvals from the competent authority shall be obtained in this regard.
- (v) Adequate precautions shall be taken during transportation of the construction material so that it does not affect the environment adversely.
- (vi) Borrow pits and other scars created during the laying of cable shall be properly levelled and treated.
- (vii) Adequate financial provision must be made in the project to implement the aforesaid safeguards.
- (viii) The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.



- (ix) Full support shall be extended to the officers of this Ministry/ Regional Office at Bangalore by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.
- (x) Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.
- (xi) The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.
- (xii) In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.
- (xiii) The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.
- (xiv) Tamil Nadu State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.

7. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006, including the amendments and rules made thereafter.

8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.

9. The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Tamil Nadu State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the



same should be forwarded to the Regional office of this Ministry at Bangalore.

10. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.

11. Any appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.

12. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

13. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF at Bangalore, the respective Zonal Office of CPCB and the MSPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

14. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

15. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned Tamil Nadu State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF at Bangalore by e-mail.



**(Bharat Bhushan)**  
**Director (IA-III)**

01.04.2010



Copy to:

1. The Principal Secretary, Environment and Forests (EC-3) Department, Govt. of Tamil Nadu, Secretariat, Chennai - 9.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110 032.
3. The Chairman, Tamil Nadu Coastal Zone Management Authority and Principal Secretary, Govt. of Tamil Nadu, Environment and Forests (EC.3) Department, Secretariat, Chennai - 9.
4. The Chairman, Tamil Nadu State Pollution Control Board, Chennai.
5. The Director, Environment Department, Govt. of Tamil Nadu, Chennai.
6. The CCF, Regional Office, Ministry of Environment & Forests(SZ), Kendriya Sadan, IVth floor, E&F wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore - 560 034.
7. Guard File.
8. Monitoring File.

/

**(Bharat Bhushan)**  
**Director (IA-III)**

HOEC INTERNAL CIRCULATION			
M.D		FILE	PYL
F & A		CONTRACTS	
SECT DEPT	MB	HSE	PG/SV
G & G		ADMN	
WCD		BARODA	
ENGG.		OTHERS	
DATE:	April 12, 2010		

Original with MB  
cc: All